

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94	((file director\$3) near2 name\$1) near3 (indicat \$4 represent\$4 mark\$4 exhibit\$4 denot\$4 impl\$4 signify\$4 suggest\$4 specify\$4 symboliz\$4) near3 resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:40
L2	1	(L1 with (circuit PLD device)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:40
L3	4	((file directory directories) near2 nam \$4) near5 resources near5 ((based adj1 on) (according adj to) accordingly indicat\$4)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:40
L4	1145	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41
L5	6485	(call\$4 invok\$4 request \$4) near3 (file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41
L6	0	(L4 and L5).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41
L7	9082	access\$4 near3 (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41

L8	2396	((director\$3 file\$1) near2 (name\$1)) with resource \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41
L9	6	(L7 with L8).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:41
L10	1641	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:42
L11	0	L3 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:42
L12	0	L9 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:42
S1	78	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1) near3 (PLD \$1 device\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02
S2	2	S1 with (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:00
S3	3	S1 same hierarch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:06

S4	141	(call\$4 invok\$4 request \$4) near3 (virtual adj file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05
S5	0	S1 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S6	15	S4 with (device\$1 PLD \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S7	1431	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S8	0	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S9	1004	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S10	0	S9 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S11	5640	(call\$4 invok\$4 request \$4) near3 (file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13
S12	0	S9 same S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13

S13	20	S9 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:18
S14	0	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S15	0	S7 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S16	13	(hierarchy near3 (director \$4 file\$1)) near5 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:22
S17	0	S16 near5 (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S18	0	S16 with (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S19	1	S16 same (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S20	135	(call\$4 invoc\$4 request \$4) near3 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:47
S21	15895	access\$4 near3 (configuration mode state) near3 (information data info)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49

S22	0	S20 same S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S23	5	S20 same ((configuration mode state) near3 (information data info))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S24	177	(access\$4 get\$4 obtain\$4 gether\$4 collect\$4) near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit \$1 resource\$1) near3 (PLD\$1 device\$1 FPGA \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02
S25	0	S24 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05
S26	0	S24 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:06
S27	0	(program near2 (call\$1 request\$1)) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07
S28	56	(call\$1 request\$1) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S29	6	(call\$1 request\$1) near3 S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07

S30	0	S28 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S31	35	(virtual near1 file\$1) with (configur\$5 near2 (information data resource\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:39
S32	1452	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41
S33	0	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41
S34	2	"6708278".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:17
S35	35	(virtual near1 file\$1) with (configur\$5 near2 (information data resource\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S36	30	S35 and (director\$4 hierarchy list\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S37	6	S35 same (director\$4 hierarchy list\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S38	35	S35 same (director\$4 hierarchy list\$1 file\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26

S39	35	S35 with (director\$4 hierarchy list\$1 file\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S40	1019	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:30
S41	3	S40 same ((programmable adj logic adj device\$1) PLD\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:31
S42	0	S41 same S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S43	45	S40 and ((programmable adj logic adj device\$1) PLD\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S44	0	S43 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S45	7	S40 same ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S46	70	S40 and ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S47	0	S46 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:35

S48	0	((virtual adj file) same ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37
S49	96	((virtual adj file) and ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37
S50	71955	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38
S51	6	S35 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38
S52	2	"20030191810"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:07
S53	0	S52 and ((storage adj resources) near5 config \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:14
S54	1	S52 and ((storage adj resources) same config \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:15
S55	2	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1) near3 (clock adj signal) near3 (disable stop interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:32
S56	22	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1) near3 (clock adj signal) near3 (enable start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:35

S57	44	(clock adj signal) near3 input near3 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41
S58	25	(clock adj signal) near2 input near2 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41
S59	8517	access\$4 near3 (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:48
S60	2291	((director\$3 file\$1) near2 (name\$1)) with resource \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:49
S61	13	S59 with S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:49
S62	0	S61 with (PLD (programmable adj logic adj device) integrated IC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:50
S63	91	((file director\$3) near2 name\$1) near3 (indicat \$4 represent\$4 mark\$4 exhibit\$4 denot\$4 impl\$4 signify\$4 suggest\$4 specify\$4 symboliz\$4) near3 resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:57
S64	6	S63 with (circuit PLD device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:58

S65	0	((file directory directories) near2 name \$1) near5 resources near5 ((based adj1 on) (according adj to) accordingly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:43
S66	0	((file directory directories) near2 nam \$4) near5 resources near5 ((based adj1 on) (according adj to) accordingly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:44
S67	161	((file directory directories) near2 nam \$4) near5 resources near5 ((based adj1 on) (according adj to) accordingly indicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:44
S68	2351534	g06f\$ h04l\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
S69	81	S67 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
S70	1565	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
S71	1	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45

11/ 17/ 2008 11:43:07 AM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10812643.wsp